



SUFFIX	MATERIAL	FINISH
S	STAINLESS STEEL 303	CLEAR PASSIVATE
A	ALUMINUM 2024-T351	CHROMIC ACID ANODIZE

TOLERANCES			
INCH		METRIC	
.XX	$\pm .016$.X	$\pm .4$
.XXX	$\pm .005$.XX	$\pm .13$
HT&TH	$-.005$	HT&TH	$-.13$

CATALOG NO.	HT		TH		OD		CF		HB		ID		
	IN	MM	IN	MM	IN	MM	IN	MM	IN	MM	IN	MM	
CM5-1004.000	A S	-0-	-0-	.045	1.14	.187	4.75	.105	2.67	-0-	-0-	.103	2.62
CM5-1504.000	A S	-0-	-0-	.045	1.14	.250	6.35	.156	3.96	-0-	-0-	.127	3.23
CM5-1509.057	S	.057	1.44	.092	2.34	.250	6.35	.156	3.96	.180	4.57	.099	2.51
CM5-1512.088	S	.088	2.24	.123	3.12	.250	6.35	.156	3.96	.180	4.57	.099	2.51
CM5-1513.104	S	.104	2.64	.139	3.53	.250	6.35	.156	3.96	.180	4.57	.099	2.51
CM5-1515.117	S	.117	2.97	.152	3.86	.250	6.35	.156	3.96	.180	4.57	.099	2.51
CM5-2104.000	A S	-0-	-0-	.045	1.14	.310	7.87	.217	5.51	-0-	-0-	.127	3.23
CM5-2404.000	A S	-0-	-0-	.045	1.14	.370	9.40	.247	6.27	-0-	-0-	.127	3.23